



PLYMOUTH COLLEGE

HEALTH & SAFETY POLICY

Last reviewed:	June 2026
Next review date:	August 2027
Responsibility:	Business Manager Health & Safety Officer

Contents

Section 1.0 Statements of Intent

Health & Safety Policy Statement of Intent

Section 2.0 Organisation

- 2.1 Introduction
- 2.2 Governance and Oversight
- 2.3 The Head
- 2.4 Galaxy Global Group Bursar (Health and Safety Lead)
- 2.5 Business Manager
- 2.6 Health and Safety Officer
- 2.7 Heads of Department (Teaching)
- 2.8 External Health and Safety Advisors
- 2.9 Health and Safety Committee
- 2.10 School Nurse
- 2.11 Staff

Section 3.0 General Arrangements for Health & Safety

- 3.1 Advice and Guidance
- 3.2 Review and Update
- 3.3 Communication and Consultation
- 3.4 Contractor Management
- 3.5 Training and Competence
- 3.6 Risk Assessments and Safe Working Procedures
 - 3.6.1 Permit to Work
- 3.7 Personal Protective Equipment
- 3.8 Employment of Young Persons

- 3.9 Employment of New and Expectant Mothers
- 3.10 Employment of Persons with Disabilities
- 3.11 Health Monitoring and Surveillance
- 3.12 Workplace Monitoring and Safety Inspections
- 3.13 First Aid Provision
 - 3.13.1 School Nurse
 - 3.13.2 Infection Control, Human flu pandemic
- 3.14 Incident Reporting - Injuries, Diseases and Dangerous Occurrences
- 3.15 Fire Precautions and Prevention
- 3.16 Smoking Policy
- 3.17 Alcohol
- 3.18 Drugs
 - 3.18.1 Prescribed Drugs & Over the Counter Medicines
- 3.19 Violence & Bullying
- 3.20 Lone Workers
- 3.21 Mobile Phones
- 3.22 Waste Management
 - 3.22.1 Sharps
 - 3.22.2 Clinical Waste
- 3.23 Welfare Provision
- 3.24 Environmental Management
- 3.25 Safety Signage
- 3.26 Access and Egress
- 3.27 Security

Section 4.0 Specific Arrangements for Health & Safety

- 4.1 Abrasive Wheels / Hand-held Cutters
- 4.2 Asbestos and Asbestos Containing Materials (ACMs)
- 4.3 Bottled Gases
- 4.4 Catering, Food Hygiene and Safety
- 4.5 Chemicals / Hazardous Substances
 - 4.5.1 Pesticides
- 4.6 Compressors and Compressed Air Tools
 - 4.6.1 Pressurised Systems & Equipment
- 4.7 Display Screen Equipment
- 4.8 Driving on School Business
 - 4.8.1 Transport Management
- 4.9 Dust and Fumes, Respiratory Protective Equipment
- 4.10 Electricity and Portable Electrical Appliances
- 4.11 Flammable Liquids / Fuels
- 4.12 Gas / Oil Installations and Appliances, Plant Rooms
- 4.13 Housekeeping
- 4.14 Ionising Radiation
- 4.15 Legionella / Water Hygiene
- 4.16 Local Extraction Ventilation (LEV) Systems
- 4.17 Lifting Operations and Lifting Equipment
 - 4.17.1 Passenger Lifts
- 4.18 Manual Handling Operations
- 4.19 Noise
- 4.20 Plant, Work Equipment and Machinery

- 4.20.1 Hired Plant / Equipment
- 4.20.2 Workshop Machinery
- 4.20.3 Hand / Small Tools
- 4.21 Pressure / Steam Cleaners
- 4.22 Slips, Trips and Falls
- 4.23 Storage Shelving, Materials Storage and Handling
- 4.24 Underground / Overhead Utilities
- 4.25 Vibration
- 4.26 Weather Conditions
- 4.27 Working at Height / Working on Fragile Surfaces
 - 4.27.1 General
 - 4.27.2 Risk Assessment
 - 4.27.3 Scaffolding and Towers
 - 4.27.4 PPE and Safety Harnesses
 - 4.27.5 Ladders and Stepladders
 - 4.27.6 MEWPS
 - 4.27.7 Fragile Surfaces
 - 4.27.8 Roof Access
- 4.28 On Site Departments
 - 4.28.1 Art, Craft, Design & Technology
 - 4.28.2 Music & Drama
 - 4.28.3 Physical Education & Sporting Activities
 - 4.28.4 Swimming Pool
 - 4.28.5 Science Laboratories
 - 4.28.6 Cadet Force
- 4.29 Off Site Departments
 - 4.29.1 Outdoor Education, Visits & Offsite Activities
 - 4.29.2 Whiteworks

1.0 Health & Safety Policy Statement of Intent

As part of Galaxy Global, Plymouth Education Limited (Plymouth College - “the School”) recognises its responsibility to provide, so far as is reasonably practicable, a safe and healthy environment for all employees, pupils, contractors, visitors (including parents), and others affected by our activities.

We place high priority on ensuring that all educational and support operations are carried out safely, and we are committed to promoting the welfare of our community so that effective learning can take place.

Accountability and Oversight

- Accountability for Health and Safety rests with Galaxy Global.
- Advice and scrutiny are provided by the Local Advisory Board (LAB).
- Day-to-day responsibility lies with the Head and Bursar, supported by the Senior Leadership Team (SLT).

Governance and Reporting

- A designated LAB member oversees health and safety and attends the School’s Health & Safety Committee, which meets termly.
- The Committee monitors accident statistics, staff training, fire drills, and new/revised policies. Reports are submitted to the Finance & General Purposes Committee and then shared with the full LAB.

- External surveys and inspections of buildings, plant, and equipment are carried out by competent professionals, with findings forming part of the maintenance programme.

Compliance and Assurance

- Catering and cleaning are subject to Environmental Health Officer (EHO) inspections, supplemented by regular internal hygiene audits, deep cleaning, and pest control.
- Fire safety: Annual risk assessments are conducted by a competent person, reviewed by the Health & Safety Committee, and updated as required.
- External audit: A health and safety consultant (Devon Health and Safety) reviews overall arrangements, with progress monitored by the Finance & General Purposes Committee.
- Specialist risk management: The School maintains a legionella risk assessment and water testing regime.

Staff Training and Responsibilities

- All new staff receive health and safety induction training, including manual handling and working at height where relevant.
 - Role-specific training (e.g. science technicians) is provided in addition to induction.
 - First aid and minibus training are available to staff involved in trips and visits.
- All staff must take reasonable care of their own safety and that of others, co-operate with the Head and SLT, and report accidents, near misses, or risks via the School's electronic system.

Communication

- Health and safety documentation is stored on the School's Google Drive. Staff are notified when documents are updated.
- Detailed organisational arrangements are outlined in Parts Two and Three of this Policy.

Section 2.0 Organisation

2.1 Introduction

This section sets out the organisation, planning, implementation, monitoring, and review of health and safety at the School. It explains responsibilities, training, and oversight arrangements. An organogram of the health and safety structure is provided at the end of this section.

2.2 Governance and Oversight

- **Galaxy Global** – ultimate accountability for Health and Safety.
- **Local Advisory Board (LAB)** – provides advice and scrutiny.

2.3 The Head

The Head has day-to-day responsibility for Health and Safety across the School, ensuring sufficient resources, training, accident reporting, and policy development. The Head reports regularly to the Board and ensures the Emergency Plan is in place.

2.4 The Group Bursar (Health & Safety Lead)

The Bursar is accountable for the School's health and safety arrangements and acts as the School Safety Coordinator. Responsibilities include:

- Safety and security, fire, electrical, gas, water, and asbestos management.
- Emergency planning.
- Staff induction and training.
- Appointment of competent contractors.
- Coordinating external specialist advice and compliance with CDM Regulations.
- Chairing the School Health & Safety Committee.
- Accident/incident investigation and recording.

2.5 Business Manager

The Business Manager supports the Group Bursar and line manages the Health & Safety Officer. They oversee:

- Building and site security.
- Access control for potentially hazardous areas.
- Contractor and visitor management.
- Site traffic and School vehicles.
- Testing and record keeping for fire, electrical, gas, asbestos, and water systems.
- Housekeeping, drainage, and grounds-related hazardous substances.

2.6 Health & Safety Officer

The Health & Safety Officer, reporting to the Head of Operations, is responsible for:

- Supporting the Business Manager and Bursar with Health and Safety compliance.
- Monitoring day-to-day safety across the School.
- Maintaining records, documentation, and accident/near-miss data.
- Assisting with staff training, inductions, and awareness campaigns.
- Acting as first point of contact for staff safety concerns and escalating issues appropriately.

2.7 Heads of Department (Teaching)

Responsible for the safety of activities under their control and for maintaining up-to-date risk assessments. Specific areas of responsibility include:

- Science – Head of Science
- PE / Sports – Head of PE
- Drama/Music – Head of Performing Arts
- Art – Head of Art
- Design & Technology – Head of DT
- Outdoor lessons – Relevant Head of Department
- Trips and visits – Educational Visits Coordinator
- Catering and cleaning – Catering Manager
- Ammunition and firearms – CCF Commanding Officer

They are also responsible for relevant training and record keeping.

2.8 External Advisors

The School engages external consultants (e.g., Devon Health and Safety) to review compliance and provide specialist support. This includes:

- Structural, plant, and equipment surveys.
- Catering hygiene audits and EHO inspections.
- Legionella and asbestos management.
- Fire risk assessments and system testing.
- Radiation protection (Head of Physics as RPS).
- Gas, electrical, and lightning protection testing.
- Compliance with CDM Regulations for construction works.

2.9 School Health & Safety Committee

Chaired by the Business Manager and meeting termly. Membership includes key operational managers and staff representatives. The Committee:

- Reviews accidents, near misses, and risk assessments.
- Monitors effectiveness of safety arrangements.
- Discusses training, compliance, and professional advice.

- Develops safety rules and systems of work.
- Promotes communication and staff engagement in H&S.

2.10 School Nurse

Responsible for first aid provision, accident book maintenance, coordination of immunisations, hospital escorting, and supporting the Health & Safety Officer with accident data.

2.11 All Staff

Staff must:

- Take reasonable care of themselves and others.
- Report hazards and concerns to their HoD or the Health & Safety Officer.
- Cooperate with safety instructions and legal requirements.
- Use protective equipment properly.
- Avoid reckless or intentional interference with safety measures.

Section 3.0 General Arrangements for Health & Safety

The attainment and maintenance of high standards of health and safety within Plymouth College will be achieved by the identification of hazards associated with the activities undertaken by the School. Effective precautions and control measures to eliminate, reduce or control the risk of harm to ALL persons exposed to the hazards will be identified and implemented.

3.1 Advice and Guidance

The external Health & Safety Advisor to Plymouth College is **Devon Health and Safety** - available on 01392 382027.

3.2 Review and Update

- The School's Health & Safety Policy and performance will be reviewed annually and as required.
- No alterations will be made to the Health & Safety Policy, including the organisational structure and associated arrangements, without the prior consent of the Estates Manager.

3.3 Communication and Consultation

- Health and safety information, where it relates to the School activities, will be communicated throughout the School by the quickest possible means as it becomes available .
- Concerns over the standards of health and safety or issues relating to health and safety are to be brought immediately to the attention of management.
- The School consults with its employees on health and safety matters in accordance with the Health and Safety (Consultation with Employees) Regulations 1996.
- The Common Room Association has nominated a teaching staff representative to liaise on health and safety matters with the Estates Manager. Staff route general health and safety issues through this representative.
- The Bursar/Estates Manager chairs separate Health & Safety Committee meetings. Concerns can be raised by any staff member through representative teaching and support staff in attendance at these meetings. Proceedings are minuted.
- the School will ensure that all information, instruction and training is provided to all employees in a language and format that the employee can readily understand. This will include any translated inductions, safety briefings, signage, works procedures, risk assessments, health and safety updates and all other forms of communication deemed necessary to ensure that the employee is competent to carry out their work activities.

3.4 Contractor Management

- Contractors are formally assessed to ensure that they are competent to conduct required work and to determine whether their systems for managing Health & Safety meet the School standards and requirements, including where appropriate, subcontractor management
- A list of approved contractors (and their subcontractors) authorised to work for the School is compiled and maintained.
- The use of contractors who are not on the approved list is prohibited.
- On arrival at the School, the Estates Manager, Health and Safety Manager or Maintenance Supervisor verify that all procedures, risk assessments and relevant insurances are in place prior to commencement of work activities.
- If a contractor has the opportunity to have regular contact with children over a short period of time, an Enhanced DBS certificate (with barred list check) is obtained.
- Contractor performance is assessed on completion of work and approved status is reviewed / updated accordingly.
- Where contractor employees are deemed to have breached health and safety standards, the School may request that such personnel leave School premises or sites and/or subsequently refuse access to School premises to such persons.

Management will ensure that:

- Only contractors on the Approved Contractor List and who are competent to perform the work are subcontracted to undertake work on behalf of the School.
- Contractors receive suitable information, instruction and training to assure their competence for the work they are to undertake.
- An appropriate level of supervision is provided to contractors working on the School premises.
- The School's risk assessments include measures to protect contractors.
- Contractors provide risk assessments for approval prior to commencing work, making certain that their risk assessments have considered how their activities may affect the School staff, pupils and other persons.
- Electrical appliances to be used by contractors have been tested and are safe to use.
- The quality of contractor's work is monitored to ensure that it is being conducted safely.
- All contractors on the School premises are accounted for.

3.5 Training and Competence

- All new employees will receive induction training as soon as reasonably practicable.
- A record of the induction process will be maintained.
- Workplace-specific induction training will be given to employees whenever work commences in a new place of work. A copy of the workplace-specific induction training record will be retained.
- Training needs and competence requirements will be analysed to ensure the provision of appropriate training.
- Employees shall only carry out work for which they hold the appropriate competences.
- Occupational competence will be maintained via continued membership of appropriate trade associations.
- Staff will be given training (either in-service or via external courses) where necessary to complement their knowledge, skills and experience in respect of significant health and safety risks (e.g. use of engineering and woodworking machinery).
- Further training shall be given:
 - For periodic refresher training;
 - When required by current good practice;
 - When being exposed to new or increased risks;

- When being transferred or given a change in responsibility; and/or
- When there is a change in work methods, technology, equipment or practices.
- A Training Record will be maintained for all employees.
- All induction and training records and, where issued, certificates of training, qualifications and competence will be held on file.
- Training standards will be kept under review to ensure that the requirements of current legislation and risk assessments are met.

3.6 Risk Assessments and Safe Working Procedures

- Refer to the **Risk Assessment Policy**.
- Risk Assessments will follow a standard format.
- The School will generate Safe Working Procedures as and when required. Management will ensure:
 - where significant hazards are evident and there is a risk of harm or injury from a work activity, an appropriate Risk Assessment will be undertaken and communicated to all those at risk, in accordance with the Management of Health and Safety at Work Regulations 1999;
 - safe Working Procedures are produced based on the findings of Risk Assessments;
 - all Risk Assessments and Safe Working Procedures are communicated to all who may be affected by the activity;
 - all personnel who may be affected by the activity are made aware that if any aspect of the activity or the environment in which it is conducted alters, then a review of the Risk Assessment must be undertaken and appropriate changes to the safe system of work effected before the work is continued;
 - Risk Assessments are reviewed in light of any major incidents, significant changes in work activities, introduction of new technology and equipment or in light of new health and safety legislation.
- master copies of all Risk Assessments and Safe Working Procedures are maintained online with reference copies held in the main office.

The Head in conjunction with Heads of Department is responsible for ensuring that risk assessments are in place for all activities associated directly with the School/Department. Responsibility is delegated to nominated members of staff to risk assess activities they organise and run (e.g. extra mural, sports, expeditions, visits, etc.). Deputy Heads are responsible for risk assessing outdoor education, visits and offsite activities. Risk assessments for all other work activities (maintenance, grounds, cleaning, porters, etc.) are the remit of the Estates Manager, supported by the Health & Safety Manager.

3.6.1 Permit to Work

High risk work activities are additionally controlled via a Permit to Work system. The range of high risk activities for which a Permit to Work is required includes, but is not limited to:

- Confined space entry
- Hot work
- Work on high voltage electrical systems
- Working on roofs

The Permit to Work system is operated by the Health & Safety Manager in conjunction with the maintenance team and contractors. Permits to Work are communicated to and signed off by all workers involved with the activity and records retained. Work is immediately stopped if there is any deviation from documented permit controls.

3.7 Personal Protective Equipment

Management will ensure that:

- Personal Protective Equipment (PPE) is provided (free of charge) to both staff and pupils and is used wherever risks to health and safety cannot be adequately controlled in other ways, in accordance with the Personal Protective Equipment Regulations 2002.
- PPE requirements (specified according to type and relevant BS EN standard) are identified by risk / CoSHH assessment to supplement existing control measures.
- PPE provided is fit for purpose and appropriate to the risk involved.
- Suitable facilities for the storage of PPE are provided and used.
- Contractors provide and wear PPE to required standards.
- Information, instruction and training will be given to staff and pupils on the safe use and maintenance of PPE. PPE will be maintained in a serviceable condition and any loss or defect reported immediately.
- Staff, pupils and contractors will, in accordance with instructions given, make full use of all PPE provided.

3.8 Employment of Young Persons

- Risk assessments will be carried out, or reviewed, to identify and address the risks to young persons (i.e. those under the age of 18) when employed by the School or when pupils are placed on Work Experience.
- Protection will be provided from any risks to the health and safety of young persons associated with their lack of experience, lack of awareness of existing risks or immaturity, in accordance with the Management of Health and Safety at Work Regulations 1999.
- Unless as part of their training, or where the work is carried out under the supervision of a competent person and where the risk has been reduced to the lowest reasonably practicable level, young person's will *not* be employed where the work:
 - Is beyond their physical or psychological capability;
 - Involves exposure to toxic or carcinogenic substances or substances which cause heritable genetic damage, harm to unborn children or cause any other chronic health effect;
 - Involves an accident risk which they may not reasonably recognise due to their insufficient attention to safety or lack of experience or training; and/or
 - Involves a risk to health from extreme temperatures (hot or cold), noise or vibration.
- Young person's will be supervised at all times when performing any task which may put them at risk.

3.9 Employment of New and Expectant Mothers

- Risk assessments of the activities undertaken by the School will take into account the needs of pregnant employees and new mothers, in accordance with the Management of Health and Safety at Work Regulations 1999. Individual assessments will identify and address the risks to the unborn child, a child of a woman who is still breastfeeding and to the mother and will determine which tasks the employee can perform.
- The assessment will ensure that adequate steps are taken to avoid the risk to new and expectant mothers arising from exposure to physical, biological and chemical agents and from working conditions.
- Risk assessments are completed by the immediate Line Manager and approved by the HR Manager. Copies are kept in staff files.
- Where the risk cannot be avoided then working hours may be temporarily adjusted or suitable alternative work will be offered. If this is not viable then suspension on full pay will be exercised for as long as is necessary to protect the Health & Safety of the mother and that of her child.

3.10 Employment of Persons with Disabilities

- Risk assessments take into account the needs of employees with disabilities, in accordance with

the Equality Act 2010.

- Employees are to ensure that the School, as their employer, is made aware of any form of disablement that is likely to affect their ability to undertake the work they are assigned.
- Where appropriate, employees with disabilities will be monitored at regular intervals (e.g. amended duties assessment) to ensure their suitability for the work on which they are employed.

3.11 Health Monitoring and Surveillance

- Staff are to declare any aspect relating to their health that may put them at risk while undertaking the work for which they are employed or that may be affected by the environment in which it is to be undertaken.
- Staff will be provided with health surveillance appropriate to the risks to health and safety resulting from their employment, as identified by risk assessment or legal statute, in accordance with the Management of Health and Safety at Work Regulations 1999 and the Control of Substances Hazardous to Health (CoSHH) Regulations 2002 (as amended).
- The School is committed to preventing employees from being subject to undue stress whilst at work.
- Staff are alert to the signs of possible mental health difficulties in both other staff and pupils. Any cases that may potentially be a cause for concern are brought to the attention of the School Nurse / School Councillor, Year Head or Deputy Head (Pastoral).

3.12 Workplace Monitoring and Safety Inspections

- Monitoring systems will be put in place to ensure that the activities of staff and pupils are carried out in a safe manner in compliance with established risk assessments and safe systems of work.
- Monitoring systems will be put in place to ensure that plant, equipment and the general working environment are maintained in a safe condition in line with risk assessments and safe systems of work and where appropriate, manufacturers requirements.
- The management of periodic, documented workplace safety inspections will be the responsibility of the Health & Safety Manager and carried out by employees as required.

3.13 First Aid Provision

- Refer to the **First Aid Policy** and **Automated External Defibrillator (AED) Procedure**.
- the School will provide adequate and appropriate equipment, facilities and personnel to ensure their staff and pupils receive immediate attention if they are injured or taken ill at work or School, in accordance with the Health and Safety (First-Aid) Regulations 1981 and DfE guidance – First Aid in Schools.
- Suitably trained persons will be nominated as qualified First Aiders / Paediatric First Aiders or Emergency First Aiders to ensure adequate provision of first aid. These details will be prominently displayed throughout workplaces and will be communicated via induction training and signage.
- A qualified First Aider or Emergency First Aider shall be present or immediately contactable for assistance at all times whilst routine work is being undertaken.
- Staff will familiarise themselves with workplace first aid arrangements and facilities.
- First Aid kits shall be held throughout the premises and in all the School vehicles with the contents checked on a regular basis, and restocked if necessary.
- Automated External Defibrillators (AED) are situated outside the MK Hall at the Senior School, at Delgany and at Whiteworks.

3.13.1 School Nurse

- Refer to the **Health Centre Policies**.

The School employs a full-time School Nurse. School Nurse duties include:

- Providing first aid and nursing treatment to pupils and staff.
- Co-ordinating immunisation and other health programmes
- Maintaining a register of staff trained in First Aid.
- Facilitating First Aid training courses to members of staff.
- Maintenance of all first aid facilities and first aid kits throughout both the Senior School and Preparatory School.
- Ensuring that all medicines are locked in secure cupboards / containers when not in use.

The School Nurse assists the Estates Manager in the reporting of accidents and preparation of accident data.

The School Nurse is also responsible for the overall health and medical care of boarders, working closely with the Assistant Head Teacher, boarding house staff and parents, and assists boarding house staff with hygiene issues.

3.13.2 Infection Control

- Infection control in the School is in accordance with PHE Guidance on Infection Control in Schools and Other Childcare Settings (May 2016).

Human Flu Pandemic: Pandemic flu is different from ordinary flu as it occurs when a new flu virus emerges into the population and spreads rapidly from person to person worldwide, In the event of such occurrence the School will:

- Monitor illness in the workplace – identify those displaying symptoms
- Risk assess to limit mitigation and implement management measures
- First aid – make adjustments e.g. no mouth to mouth
- Train emergency responders (FA and Fire) in changes to procedures
- Consider additional response time due to pressure on NHS services
- Acquire additional PPE / RPE as necessary
- Review first aid / fire warden needs assessment – ensure sufficient First Aiders
– share with other building occupants – reduce high risk activities
- Revise site set-up – max number on site, staggered start / finish and break times
- Update CPP and RAMS and rescue plans
- Site closure / shutdown plan ensure that any shutdown is safe and allows the site to recommence operations promptly after the suspension is lifted
- Return to Work – risk assess staff – safety critical roles, clinical vulnerability, childcare issues, caring responsibilities, reasonable adjustments, etc. – classify as high / medium / low risk to phase return balanced with business demand
- Legionella Risk Assessment – If premises have been completely closed, flush out the water supply, to prevent the spread of Legionella and revisit LRA
- A phased approach may need to be adopted, depending on the balance between staff availability and business demand

3.14 Incident Reporting - Injuries, Diseases and Dangerous Occurrences

- All injuries (no matter how trivial) are to be recorded using the Google Form reporting system available on the shared Google Drive, this can be accessed from desktops across the estates and scanning the QR code located across the estates.
- Work-related illnesses, dangerous occurrences and near misses are also to be reported and recorded using the Google Form reporting system. Near miss reports will be raised to the Estates Manager and H&S Manager, and forwarded to Governor representatives where

appropriate.

- In the event of an over 7-day injury, a specified injury or fatality occurring to a member of staff, pupil or third party, or hospitalisation of a third party, statutory reporting requirements under the Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 2013 will be met.
- Fatal and major injuries to pupils on School premises – and to visitors – must be reported in the same way as those to employees. However, injuries during play activities arising from collisions, slips and falls are not reportable unless they are attributable to the condition of the premises, or plant and equipment on the School premises or lack of proper supervision. In all circumstances an Accident Form is to be filled out as a record of the injury, in case of future claims against the School.
- Fatal and major injuries to School pupils occurring on School sponsored or controlled activities off the School site (such as field trips, sporting events or holidays in the UK) must be reported if the accident arose out of or in connection with these activities. Accident forms should be completed as soon as possible in the circumstances.
- In the event of a reportable incident, notification is sent without delay to the Health & Safety Executive, via the RIDDOR website: <http://www.hse.gov.uk/riddor/> Alternatively fatal or specified injuries only can be reported on: 0845 300 9923 (Monday to Friday 8.30am to 5pm)
- Reports must be sent within 10 days of the incident, except for accidents resulting in over 7-day incapacitation of a worker, in which case the HSE must be notified within 15 days of the incident.
- Occupational diseases must be reported to the School Nurse in the first instance as soon as a written diagnosis (of any new symptoms or any significant worsening of existing symptoms) provided by a doctor is supplied by an employee. On receipt of a written diagnosis, the occupational disease should be immediately reported to the HSE.
- All accidents, work-related illnesses, near misses and dangerous occurrences involving staff, pupils or third parties will be thoroughly investigated.
- All accidents, work-related illnesses, near misses and dangerous occurrences on School premises are to be reported to the Estates Manager and Health and Safety so that an appropriate level of investigation can be conducted.

3.15 Fire Precautions and Prevention

- Refer to the **Fire Safety Policy**, the **Emergency Evacuation Policy for Exams** and the **Crisis Management Plan**.
- The School works closely with a qualified Fire Risk specialist (Consultancy and Design UK Ltd) It is School policy that advice is sought regularly, especially when building work is contemplated or when plans are being considered for a change of use of existing buildings.
- A Fire Risk Assessment to identify fire and explosion risks for the School premises will be undertaken, in accordance with the Regulatory Reform (Fire Safety) Order 2005 and the Dangerous Substances and Explosive Atmospheres Regulations 2002 (DSEAR).
- Based on the results of the Fire Risk Assessment, adequate means of raising the alarm, fighting the fire and means of escape will be provided to ensure the safe evacuation of personnel in the event that a fire occurs on School premises.
- Fire precautions and prevention measures will be taken appropriate to the level of risk throughout School premises.
- An adequate Fire Plan will be in place, prominently displayed throughout the premises, and communicated to all staff, contractors and visitors on induction.
- In the event of a fire on School premises, the priority will be to raise the alarm and ensure all staff, pupils, contractors and visitors are evacuated safely. The alarm is to be raised and the local fire authority summoned.
- The person discovering the fire may attempt to extinguish the fire using portable appliances if the fire is of a small nature and personnel are not put at risk, and is to remain available to brief the fire authorities on arrival.
- Designated staff will be instructed in the use of portable fire fighting appliances as found on School premises and in vehicles. Emergency procedures and evacuation routes will be

communicated to all staff as part of their induction training.

- The maintenance of the fire alarm system will be conducted by a competent, specialist authority under contract.
- Stores or materials shall not be left along access or egress routes where they may hinder escape in an emergency.
- Emergency procedures and evacuation routes will be communicated to all staff as part of induction training.
- Consideration will be given to neighbours who may be affected by a fire to ensure that they are made aware of the fire and evacuate safely.
- Whilst working on School premises, contractors are to familiarise themselves with emergency procedures and evacuation routes.

3.16 Smoking Policy

- Refer to the **Drugs, Alcohol & Smoking Policy**.
- In compliance with the Smoke-free Regulations 2006, the School premises (including Whiteworks and Delgany) and workplaces are smoke-free.
- Smoking is not permitted in any accommodation used temporarily by the School for the benefit of groups of pupils, e.g. hotel and hostel accommodation. Smoking is also not permitted by persons using School premises and grounds for outside lets. Disciplinary action will be exercised if employees smoke whilst on School premises or in School vehicles.
- Smoking is strictly prohibited in areas where flammable liquids are stored or used.
- Pupils, regardless of age, are prohibited from smoking or being in possession of tobacco, vapes or smoking materials in school, off campus in school uniform or on school trips.

3.17 Alcohol

- Refer to the **Drugs, Alcohol & Smoking Policy**.
- Staff and contractors shall not have alcohol in their possession whilst working on School premises or driving School vehicles, disciplinary action will result if this is found to be the case.
- Any person known or strongly suspected of being under the influence of alcohol will be removed from School premises immediately.
- Pupils are not permitted to bring alcohol onto School grounds. The consumption of alcohol in school is forbidden to all pupils below the Sixth Form. Sixth Form students may, on occasion, consume alcohol in a supervised setting. Drinking alcohol in any other circumstances is strictly prohibited.

3.18 Drugs

- Refer to the **Drugs, Alcohol & Smoking Policy**.
- The term “drugs” should be understood to include not only illegal, controlled substances but also legal substances such as solvents.
- With the exception of solvents required for work or teaching purposes, staff and contractors shall not have drugs in their possession whilst working on School premises or driving School vehicles.
- Disciplinary action will be exercised if, while under the undue influence of drugs, staff or contractors enter the School premises or drive School vehicles.
- Any person known or strongly suspected of being under the influence of drugs will be removed from School premises immediately.
- Pupils are strictly prohibited from supplying, possessing and/or using drugs under any circumstances.

3.18.1 Prescribed Drugs & Over the Counter Medicines

- Refer to the **Drugs, Alcohol & Smoking Policy**, the **Administration & Storage of Medicines Policy**, the **Anaphylactic Shock Procedure**, the **Asthma Procedure**, the **Diabetic Procedure** and the **Epilepsy Procedure**.
- Staff must notify their Line Manager if using prescribed drugs or over the counter medicines to ensure job placement is not affected by the use of such drugs (e.g. some antihistamines can cause drowsiness, a particular risk while driving or using machinery).
- Staff may administer their own prescribed drugs and over the counter medicines if permitted to do so by their Line Manager. Prescribed drugs and over the counter medicines should be stored securely until required (i.e. in staff lockers / drawers).
- Drugs prescribed to pupils must be handed into the School Nurse, together with instructions for use, required dosage, etc. Containers should clearly display the pharmacist's label. Asthmatic and anaphylactic pupils are permitted to keep their medication with them, with additional supplies kept in the Health Centre. For all other prescribed medication pupils must visit the Health Centre to take their medication.

3.19 Violence & Bullying

- Refer to the **Anti-Bullying Policy** and the **Use of Reasonable Force Policy**.
- The School takes all forms of bullying very seriously and strives to ensure that everyone can operate in a supportive, caring and safe environment without fear of being bullied.
- The aim of the Anti-Bullying Policy is to help members of the school community to deal with bullying when it occurs and to help prevent it.
- Violence to staff by pupils, parents or colleagues is not acceptable under any circumstances.
- In the event that staff are faced with aggression or threat of violence, a non-confrontational position is to be adopted.
- All such incidents are to be reported immediately to Line Managers and Heads.
- Incidents of violence, threatening and/or abusive behaviour by staff whilst at work will result in disciplinary action.

3.20 Lone Workers

- Refer to the **Lone Working Policy**.
- Wherever practicable, staff are not to work alone in high-risk activities or areas.
- Where it is unavoidable, the lone worker will ensure that Line Managers are aware of their whereabouts and the nature of the work being undertaken. The lone worker will make contact with nominated personnel at pre-arranged times throughout, and on completion of, the activity. Such arrangements will be documented in a specific risk assessment or procedure which will be communicated to all persons involved.
- Lone workers are included in liability insurance cover, in accordance with the Employer's' Liability (Compulsory Insurance) Act 1969.

3.21 Mobile Phones

- Refer to the **Driving Policy**.
- It is an offence under the Road Vehicles (Construction and Use) Regulations 2003 (as amended) to use a hand-held phone or similar device when driving.
- No calls are to be made or received by the driver of a moving vehicle unless the vehicle is fitted with a working 'hands free' kit and it is considered that it is safe to do so.
- Calls dealt with in this way are to be short duration calls only. Longer duration calls are to be dealt with by pulling over to the side of the road into a suitable parking area when it is safe to do so to continue the conversation.

- No calls are to be made / received on mobile phones while operating any plant, machinery or equipment unless the plant, machinery or equipment has been safely stopped, switched off or made safe.
- Mobile phones must not be used whilst employees carry out hazardous work activities.
- Mobile phones must not be used in the vicinity of gas storage areas, chemical and oil storage areas or in the vicinity of other flammable substances.

3.22 Waste Management

- Routes exist for the legal disposal of waste arising from all materials in use by the School, in accordance with current legislation and best practice. All waste shall be disposed of via an authorised disposal route.
- Waste materials will be removed under contract by a licensed operator, and where appropriate, in accordance with the Hazardous Waste Regulations 2005.
- Where practicable, work will be planned and managed so as to minimise waste creation.
- Fluid and solid waste will be managed to ensure the protection of personnel who may be exposed to such materials and to minimise any potential harm to the environment.
- Emissions from air extraction systems will be monitored and tested on an annual basis.
- An assessment of the potential harm from exposure to waste materials will be undertaken to identify appropriate control measures to reduce the risk of harm occurring to personnel involved in handling waste materials.
- Waste management procedures will be communicated to employees.
- Tanks and drums provided to hold waste oils and other fluids are to be bunded and all spillages immediately cleared away.
- Waste shall not be illegally deposited, disposed of or treated by any person where that waste has been, or will be, under the control of the School.
- Recycling of waste will be encouraged wherever possible.

3.22.1 Sharps

- Employees are aware of the procedures to follow and the PPE / equipment to use when required to handle sharps.
- Suitable containers will be provided for the disposal of sharps.

3.22.2 Clinical Waste

- Hygiene procedures are in place for the cleaning up of bodily fluids and disposal of clinical waste, in accordance with PHE Guidance on Infection Control in Schools and Other Childcare Settings (May 2016).

3.23 Welfare Provision

- The School is committed to providing a safe and healthy work environment that takes into account the welfare needs of all its employees and students, including those with disabilities.
- Welfare provision will be in accordance with the Workplace (Health, Safety and Welfare) Regulations 1992 and the Education (Independent School Standards) (England) Regulations 2010 as amended.
- Ventilation will be adequate to ensure the comfort of employees and students. Where mechanical ventilation or air conditioning is provided, regular cleaning, maintenance and inspection will be conducted.
- In offices and teaching facilities, temperature whenever practicable will be maintained in the range 19.4°C–22.8°C. Windows, skylights or glass partitions will not allow excessive temperatures to be reached in the offices during hot weather or to fall too low in cold weather.

- Lighting will be suitable and sufficient and, so far as is reasonably practicable, be from natural light to enable people to work, use facilities and move from place to place safely and without experiencing eye strain.
- Eating and rest facilities with adequate access to boiling water and a means to heat food will be provided to staff.
- Adequate canteen facilities will be provided to both staff and pupils.
- Welfare facilities will be adequate with sufficient toilets, hand washing and drying facilities. A wholesome supply of drinking water will be available.
- Suitable storage and drying facilities for clothing will be provided, as required.
- Workstations will be comfortable, with safe and suitable chairs and sufficient space.

3.24 Environmental Management

- Current environmental legislation will be regarded as setting the minimum standards of environmental performance for the School.
- The School will implement measures to ensure the economic use of transport. Sharing of School vehicles will be optimised and travel to School premises will be minimised to reduce the use of fuel.
- Waste will be minimised through careful planning of design and use of materials. The School will comply with the Duty of Care Regulations at all times and all services used for the disposal of waste will be checked to ensure that the appropriate licences are held.
- The School will attempt to reduce energy and water consumption and to minimise carbon dioxide emissions. The School will also promote the use of energy efficient products and source its energy from safe and sustainable sources.
- The School will endeavour to ensure that generation of dust, noise and/or odour by activities conducted on School premises is kept to a minimum to prevent nuisance to the local community and neighbours.
- In the office and teaching environments, paper will be used sensibly with increased use of electronic communication to reduce the need for paper use. Paper and cardboard will be recycled whenever possible.

3.25 Safety Signage

- Appropriate safety signs and notices will be posted throughout the School premises, as identified via risk assessment and in accordance with the Health and Safety (Safety Signs and Signals) Regulations 1996.

3.26 Access and Egress

- All workplace access and egress routes are kept clear at all times.
- Emergency escape routes are unobstructed. Stores or materials shall not be left along access or egress routes where they may hinder escape in an emergency.
- If staff and pupils are unable to access working / teaching areas safely, they must inform their Line Manager / Teacher and not take personal risks.

3.27 Security

- Refer to the **Security Policy**, the **Access to School Premises Policy**, the **Boarding Access to High Risk Areas on School Premises Policy** and the **CCTV Policy**.
- Visitors are directed to the School office at the Senior School and Reception at the Preparatory School. All visitors (parents, contractors, third parties) are required to sign-in on arrival and are issued with a security pass to wear at all times. With the exception of contractors, visitors are accompanied by a member of staff at all times. Visitors sign-out on departure and hand their pass in.

- The Ford Park site is monitored by CCTV. Intruder alarms are in place in designated buildings.
- Access to School premises is restricted to authorised persons only and all reasonably practicable security measures are taken to prevent unauthorised access. All unauthorised persons are immediately escorted off School premises.
- The Head Porter is responsible for security and for the overall supervision of porters and night porters.

Section 4.0 Specific Arrangements for Health & Safety

The following topics have been identified as significant in terms of workplace hazards and detail the School policy on how the risk to personnel exposed to them will be reduced or controlled.

4.1 Abrasive Wheels / Hand-held Cutters

- The abrasive wheel marking system should conform to Annex A of BS EN 12413 and BS ISO 525.
- Only trained personnel who have been appointed by management are permitted to change any class of abrasive wheel.
- The School will ensure that suitable storage facilities are available in order to keep wheels clean and free from damage and that a sufficient quantity of suitable eye protection to BS EN 166B is available when required.
- Guards or shields supplied by the manufacturer are correctly fitted to all machines while in use and are not altered in any way.
- Defective abrasive wheel machines are taken out of use immediately.
- All operators will be trained and competent to operate machinery with abrasive wheels.

4.2 Asbestos and Asbestos Containing Materials (ACMs)

- The School will comply with its duty to manage asbestos in its premises as required under the Control of Asbestos Regulations 2012 and in accordance with advice provided by the DfE - Managing Asbestos in Your School (2015).
- An Asbestos Management Survey has been conducted for all School premises constructed prior to 2000 by a competent surveyor to assess the risk and determine appropriate controls.
- The School acts on the recommendations of the survey report in order to manage any associated risk.
- Prior to any refurbishment work a Refurbishment & Demolition Survey will be conducted.
- All locations where asbestos or ACMs have been identified as being present are recorded in the Asbestos Register. The Asbestos Register is kept up to date and amended as and when necessary.
- Based on the Asbestos Register and relative risk, an Asbestos Management Plan is in place to minimise exposure. The Asbestos Management Plan details the actions that need to be taken for each occurrence e.g. signs posted and annual inspection for low risk asbestos / ACMs, encapsulation or removal by a licensed contractor for higher risk asbestos / ACMs.
- All locations where asbestos / ACMs have been confirmed or are presumed to be present are readily identifiable by means of appropriate warning signs / stickers.

Staff shall not generally conduct work involving exposure to asbestos / ACMs. If asbestos / ACMs are discovered or suspected that have not previously been identified in the Asbestos Survey then the following action is to be taken:

- Work is stopped, the area is secured and measures are put in place to ensure that the asbestos / ACM remains undisturbed; and
- Inform the Estates Manager or Health & Safety Manager, in order to ensure that an assessment is undertaken and an action plan developed before further work is carried out.

In compliance with the Control of Asbestos Regulations 2012, training is mandatory for anyone liable to be exposed to asbestos fibres at work.

Any work undertaken on licensed asbestos products will be undertaken by a specialist licensed contractor. Work on non-licensed asbestos products must be approved by management and may only be undertaken provided the following conditions are met:

- The exposure is sporadic and of low intensity;
- The control limit is not exceeded, 0.1 asbestos fibres per cubic centimetre of air (0.1 f/cm³),
- The work comprises:
 - Short duration, non-continuous maintenance activities;
 - Removal of materials in which the fibres are firmly linked in a matrix;
 - Encapsulation of ACMs which are in good condition; and/or
 - Air monitoring or collection and analysis of samples.

If non-licensed asbestos products are friable or have deteriorated additional requirements apply. For all notifiable non-licensed work (NNLW), management will ensure that:

- The HSE is notified of the work;
- Health surveillance / medical examinations are carried out by a health professional for employees involved with the work;
- Health records for employees involved with the work are maintained; and
- Written records are kept of NNLW e.g. a copy of the notification together with a list of workers and the level of likely exposure of workers to asbestos.

In all circumstances, staff, pupils and any other persons who might be affected by the School's work activities will be protected from exposure to asbestos fibres resultant from those work activities.

4.3 Bottled Gases

- Gas bottles shall be stored in a designated, secure gas storage facility in the open air when not in use. Cylinders are secured in position to prevent toppling.
- Bottled gas storage facilities comply with BCGA Guidance Note GN2: Guidance for the Storage of Gas Cylinders in the Workplace, including minimum recommended separation distances.
- Clear signage is displayed on gas storage facilities identifying products stored, warning of access restrictions and prohibiting smoking / naked flames.
- Only those cylinders in use or connected to equipment may be kept in work areas. Empty cylinders and cylinders not in use shall be removed to the storage area as soon as practicable.
- Empty gas cylinders are collected by the supplier on a regular basis to prevent build-up.
- An inventory of gas cylinders stored on site (location and quantity) is maintained and provided to emergency services in the event of an incident.

4.4 Catering, Food Hygiene and Safety

- The Estates Manager oversees the Catering Contractor (Chartwells), although management of catering activities is the responsibility of the appointed Catering Contract Manager.
- The Catering Contractor will report regularly on the performance of catering equipment and report faults, including routine and regular hygiene and safety checks and forward reports to the Operations director.
- Contractor staff involved in the preparation of food are all trained in food safety and hygiene. Copies of certificates are held on file.
- A food safety management pack, detailing food safety management procedures, is in place.
- Contractor staff use disposable gloves when handling and preparing food.
- Contractor staff are aware of and comply with food safety procedures and regulations.

- All food and drink preparation areas are maintained in a clean and tidy manner.
- All perishable items are stored in refrigerators and are removed as soon as they become out of date.
- All food and drink preparation areas conforms to environmental health and food hygiene regulations.
- Periodic inspections are performed in conjunction with the Environmental Health Department to ensure compliance with regulations. Records of these inspections are kept on file and forwarded to the Estates Manager for retention by the School.

4.5 Chemicals / Hazardous Substances

All hazardous substances / chemicals used or generated by the School will be subject to a CoSHH assessment to identify the measures required to reduce the risk of harm occurring to staff and pupils as a result of exposure, in accordance with the Control of Substances Hazardous to Health (CoSHH) Regulations 2002 (as amended).

Management will ensure that:

- All hazardous substances / chemicals used by the School are identified and inventoried.
- REACH Safety Data Sheets for all hazardous substances used by the School will be obtained from suppliers
- A comprehensive assessment of the processes involving the use of hazardous substances or those generating hazardous by-products such as dust and fumes is carried out.
- Regular reviews of assessments of processes involving the use of, or contact with, hazardous substances are undertaken.
- Appropriate control measures are put into place to prevent, reduce or control the exposure of all staff and pupils to the harmful effects of hazardous substances and by-products of processes.
- Suitable and sufficient PPE / RPE is provided to staff and pupils exposed to hazardous substances and materials. Staff and pupils are adequately trained in the use of any specialist PPE / RPE.
- Appropriate information, instruction and training will be given to staff and pupils exposed to hazardous substances and materials.

4.5.1 Pesticides

Management will ensure that:

- All pesticides used by the School are subject to risk / CoSHH assessment.
- Appropriate training is provided to those staff working with pesticides.
- Suitable PPE is provided to staff, together with storage facilities for the PPE.
- Only those pesticides approved for the application are used.
- Pesticides are stored safely in accordance with legal requirements and good practice. All pesticide stores are kept locked when not in use.
- Pesticides are disposed of in accordance with manufacturers / suppliers recommendations and local Waste Disposal Authority's requirements. Storage of surplus, unused, diluted spray is kept to a minimum.

4.6 Compressors and Compressed Air Tools

- Compressors owned by the School will be subject to regular maintenance in accordance with manufacturers' recommendations.
- Regular inspections of compressors and compressed air tools will be conducted to detect leaks / corrosion / other problems.
- All safety valves and gauges will be functioning correctly with the safe working pressure clearly

marked on the air receiver.

- Compressors and compressed air tools are only to be operated by trained and competent persons.
- Defective compressors, hoses or tools are to be removed from service immediately to a place where they cannot be introduced back into service until a repair has been carried out by a competent person.
- Only trained personnel who have been authorised by management may operate equipment
- Operators must ensure that the work area is clear of other persons, all guards are fitted, and interlocks checked and in a serviceable condition prior to using these tools.
- All persons operating compressed air lines must wear the PPE provided to prevent injury from flying debris.

4.6.1 Pressurised Systems and Equipment

Management will ensure that:

- Pressurised systems and equipment will be inspected at least annually and are subject to examination by a competent person.
- A safe system of work is established for the service and maintenance of pressurised systems and equipment.
- Regular inspections of pressurised systems and equipment are conducted to detect leaks / corrosion / other problems.
- Pressurised systems and equipment are operated according to written instructions within specified safe working temperatures and pressures.
- Pressurised systems and equipment have been designed, constructed and installed as suitable for the intended purpose.
- Pressurised systems and equipment are fitted with appropriate protective devices / safety valves, adjusted to correct settings.
- Where necessary, connections are fitted with safety whip-checks to prevent injury due to hose / coupling failure.
- Pressurised systems and equipment are maintained and serviced according to manufacturer's recommendations.
- All persons operating pressurised systems and equipment have been trained in their use and are aware of the operating procedures to follow.
- All persons operating pressurised systems and equipment wear appropriate PPE provided to prevent injury.

4.7 Display Screen Equipment

- All workstations consisting of Display Screen Equipment (DSE) will be the subject of an ergonomic assessment to identify the measures required to reduce the risk of harm occurring to the operators/users of such workstations, in accordance with the Health and Safety (Display Screen Equipment) Regulations 1992.
- Staff whose work requires them to operate their DSE workstation daily for a significant part of the day will be entitled to a free vision screening or eye test on request. Where such examinations identify the requirement, the School will provide, free of charge, corrective appliances required specifically for DSE work.
- Staff whose work requires them to be at their DSE workstation for a significant part of their working day are to vary their work routine such that they perform other work activities away from their display screen equipment for approximately 10-15 minutes per hour.

4.8 Driving on School Business

- Refer to the **Driving Policy**
- All staff driving on School business must be qualified and medically fit to drive the vehicle and hold adequate insurance. Employees must inform the School of any disqualifications or other reasons such as medical conditions that may affect their ability to drive or operate vehicles.
- Where considered necessary employees will be provided with School vehicles to allow them to travel to and from locations where they are required to undertake work on behalf of the School. School vehicles can **only** be used for School business and must never be used for private use under any circumstances.
- The School will provide vehicles for use that are in roadworthy condition, meet all current legislative requirements and are fit for their intended use. Vehicles will be insured, taxed, serviced and maintained in a roadworthy condition at no expense to the individual user.
- Defects are to be immediately reported to the Transport Manager and remedial action taken at the earliest opportunity.
- Drivers using their own vehicles to drive on School business complete a Grey Fleet form in order to be covered under School insurance for occasional business use and ensure that their vehicle remains in a safe and roadworthy condition with servicing schedules, as recommended by the manufacturer, adhered to.
- All those driving on School business will at all times meet the requirements of the Road Traffic Act and follow the guidance detailed in the Highway Code.
- All those driving on School business will drive courteously and in a non-aggressive manner.
- All those driving on School business will plan their journeys to ensure that sufficient time is allowed for the journey, taking into account prevailing weather and road conditions.
- Penalties incurred for breaches of the Road Traffic Act and other relevant legislation will be met by the individual employee. Disciplinary action may be taken against employees who frequently or excessively incur penalties for breaches of road traffic legislation whilst driving on School business.
- All driving activities will be managed in accordance with the Driving Policy and associated Safety Guidance.
- Drivers must sign a declaration that they will comply with these requirements.
- Employees with a current car driving licence are permitted to drive a minibus provided that it is not being driven "for hire or reward" as the school operates under a section 19 licence.

4.8.1 Transport Management

- All entrances, gateways and access areas are free from obstruction.
- Vehicle and pedestrian zones are clearly marked and serve to segregate pedestrians from vehicles as far as possible. Designated pedestrian walkways / zebra crossings are delineated by painted lines.
- Relevant signage is in place for instructions, directions (e.g. for visitor parking) and speed limits. Vehicular and pedestrian movement is managed by the porters on a day-to-day basis.
- Adequate lighting is provided in car parking and roadway areas.

4.8 Dust and Fumes, Respiratory Protective Equipment

- All processes conducted by staff and contractors that result in the generation of dust or fumes will be subject to an assessment under the Control of Substances Hazardous to Health Regulations 2002 (as amended).
- If considered necessary, a dust/fume survey will be undertaken in order to establish dust/fume concentrations and the requirement for Local Exhaust Ventilation (LEV) /Respiratory Protective Equipment (RPE).
- Control measures to protect persons exposed to dust or fumes will be identified and put in place.

- All persons likely to be exposed to dust or fumes are to be informed of the harmful effects and of the precautions and control measures to be implemented to prevent, reduce or control exposure.
- Where identified by risk assessment, suitable personal protective equipment will be provided to supplement other control measures. Personal protective equipment is to be worn by all persons identified in the assessment in accordance with the training and instruction provided.
- Where the need to wear RPE is identified via CoSHH assessment, suitable and appropriate RPE with the required assigned protection factor (APF) will be provided in accordance with Health & Safety Guidance (HSG53, 4th edition 2013, Respiratory Protective Equipment at Work – A Practical Guide).
- Each person who is required to wear RPE will undergo a fit test for each type of RPE worn, prior to first use and annually thereafter.
- All persons wearing RPE will be clean shaven to ensure effectiveness of protection.

4.9 Electricity and Portable Electrical Appliances

The School recognises the need to ensure that all fixed electrical installations shall be safe at all times, in accordance with the Electricity at Work Regulations, 1989. This will be achieved by:

- Conducting a documented inspection of all fixed electrical installations at intervals not exceeding five years, or at a frequency specified on the Electrical Installation Condition Report.
- Ensuring access to electrical distribution panels is unobstructed.
- Ensuring all electrical distribution panels and points of electrical isolation are clearly marked, identifying the circuits and equipment they control.
- Restricting access to all rooms/cupboards containing electrical installations to authorised persons only.
- Ensuring adequate signage is in place warning of access restrictions and potential hazards (fire, electrocution).

The School recognises the need to ensure that all electrical equipment shall be safe at all times, in accordance with the Electricity at Work Regulations, 1989. This will be achieved by:

- The use of battery-operated tools or 110 volts within the workplace wherever practicable;
- Wherever practicable, circuits will be protected by residual current devices (RCD) where mains voltage is to be used. Where fitted, residual current devices will be tested regularly by operation of the test button;
- Sufficient socket outlets will be provided. The use of adaptors and extension leads is to be discouraged. Sockets are not to be overloaded;
- Electrical tools will be in good condition and double insulated;
- All equipment is to be switched off before unplugging or cleaning or not in use;
- Undertaking assessments to identify hazards associated with each individual item of machinery and implement specific safety rules and procedures for the authorised operator to follow;
- Ensuring all electrical appliances and equipment are periodically examined and tested at a frequency in accordance with current H&S guidance;
- Maintaining a record of inspections / tests of electrical equipment and appliances;
- Ensuring that equipment operators regularly carry out a visual inspection of equipment and associated cables and plugs for signs of obvious damage;
- Ensuring that all safety devices and guards are serviceable and in place prior to the use of equipment;
- Immediately reporting and prohibiting the use of defective equipment, including leads and plugs;
- Only authorised and competent persons will be permitted to repair or alter electrical equipment. Temporary or makeshift repairs are not to be undertaken;
- Where there is a possibility during the teaching process of any persons, including pupils, coming into contact with live conductors at voltages above 25v where injury is likely to result, the teacher

in charge must be electrically competent and must work in accordance with the guidance given by the Health & Safety (HSG85 Electricity at Work – Safe Working Practices).

4.10 Flammable Liquids / Fuels

- All flammable liquids / fuels shall be stored in accordance with the Dangerous Substances and Explosive Atmospheres Regulations 2002 (DSEAR).

Management will ensure that:

- Only the required quantity of flammable liquids / fuels is stored on School premises for immediate use.
- All flammable liquids/fuels shall be kept in approved containments and in an approved stowage. Each storage area shall be designated as a 'No Smoking Area'.
- The storage and use of flammable liquids/fuels are subject to a risk assessment to ensure adequate control and mitigation measures are in place to protect against foreseeable incidents.
- All persons involved in the storage, handling, use and transport of flammable liquids/fuels will be supplied with suitable information, instruction and training on the precautions and actions to take to safeguard themselves and others.
- Machinery is re-fueled in the open only after it has been turned off and allowed to cool down.
- When not in use, containers of flammable liquids/fuels are kept closed and stored in suitable cabinets or bins of fire-resisting construction, which are designed to retain spills (110% capacity volume). Storage facilities are kept locked at all times when not in use.
- Containers are located in designated areas away from the immediate work area and do not jeopardise the means of escape from the area.
- Flammable liquids/fuels are stored separately from other dangerous substances that may enhance the risk of fire or compromise the integrity of the container (e.g. energetic substances, oxidizers and corrosive materials).
- No more than 50 litres of highly flammable liquids or 250 litres of flammable liquids with a higher flashpoint of up to 55°C will be stored on site. Individual containers are limited to 10 litre maximum capacity.
- The carriage of flammable liquids/fuels will satisfy The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009.

4.11 Gas / Oil Installations and Appliances, Plant Rooms

The School recognises the need to ensure that all gas / oil installations and appliances shall be safe at all times. Management will ensure that:

- All gas installation work and other work carried out on School premises in relation to gas fittings and appliances (excluding portable appliances supplied with gas from a cylinder other than space heaters) is carried out in accordance with the Gas Safety (Installations and Use) Regulations 1998 and by competent GasSafe registered engineers.
- Gas appliances intended for use in bath or shower areas must be room sealed appliances i.e. appliances whose combustion system is sealed from the room in which the appliance is located. Such appliances obtain air for combustion from a ventilated uninhabited space within the premises or from the open air outside the premises. Combustion products are vented to open air outside the premises.
- Gas-fired boilers, appliances and associated pipework / flues are inspected and serviced by a GasSafe registered engineer every 12 months and that records are kept on file.
- Oil-fired boilers, appliances and associated pipework / flues are inspected and serviced in accordance by a competent Oftec registered engineer every 12 months and that records are kept on file.
- Plant / boiler rooms are kept locked / secure, with access restricted to authorised persons only.
- Adequate signage is in place warning of access restrictions and potential hazards (fire, explosion).

- Smoking and naked flames are strictly prohibited in plant / boiler rooms.
- Hot surfaces / pipes are insulated to retain heat and protect against burns.
- Plant / boiler rooms are maintained in a clean and tidy state. Storage of materials and equipment in plant / boiler rooms is not permitted.
- Clear access is maintained to all control panels.
- Emergency shut-off / isolation switches are installed and clearly labelled as to function.
- Carbon monoxide detectors are installed in all plant / boiler rooms and in rooms containing gas / oil appliances.

4.12 Housekeeping

- In order to promote a safe working environment and good hygiene standards, high standards of housekeeping will be maintained at all times throughout School premises.
- All materials will be stored to reduce the risk of injury to personnel and to minimise fire risk.
- Combustible materials will not be stored adjacent to heat/ ignition sources.
- Rubbish will not be allowed to accumulate and will be safely disposed of on a regular basis.
- All spillages will be cleared up immediately.
- Vehicular and pedestrian access and egress routes shall be maintained at all times, both internally and external to buildings. Routes are to be kept clear for emergency purposes.

4.13 Ionising Radiation

- Refer to the **Ionising Radiation – Duties of the Radiation Protection Supervisor**.
- The Radiation Protection Supervisor (RPS) is responsible for the management of all radiation sources stored, handled and used on the premises.
- Management and use of radiation sources is in accordance with The Ionising Radiations Regulations 1999 and CLEAPSS L93 Managing Ionising Radiations & Radioactive Substances in Schools & Colleges (November 2016).
- Standard Operating Procedures and specific risk assessments are developed for the range of radiation sources kept on School premises, in accordance with CLEAPSS L93.
- The RPS conducts leakage tests on all closed (sealed) radiation sources annually and keeps up to date records of this process.
- Additional advice is obtained from a competent accredited Radiation Protection Adviser (RPA) as and when required.

4.14 Legionella / Water Hygiene

- Refer to the **Legionella Policy**.
- A Responsible Person and deputy shall be appointed who shall be responsible for identifying and assessing sources of risk and putting in place a management plan (including a written scheme for the prevention and control of the risk for each water system) to comply with general legislation and the Approved Code of Practice L8: The Control of Legionella Bacteria in Water Systems.
- Appropriate control measures for individual premises will be identified in legionella risk assessments.
- Call-out arrangements for automatic water systems are in place.
- Annual audits of the arrangements in place to control legionella in water systems will be undertaken.

4.15 Local Extraction Ventilation (LEV) Systems

- Where required due to generation of high volumes of dust/fumes, an air survey will be carried out

to determine the requirement and specifications for LEV.

- Where there is a requirement for LEV to be installed, the LEV system / fume cupboard will be designed, installed and commissioned by a competent supplier/engineer in accordance with a written specification.
- Where required, cutting equipment will be fitted with on-tool extraction.
- Staff are trained in the correct use, cleaning and maintenance of LEV and on-tool extraction systems, in accordance with manufacturers' / suppliers instructions.
- Extraction units are regularly emptied using disposable waste bags.
- LEV and on-tool extraction systems are maintained in good working order, in accordance with manufacturers' recommendations for servicing and testing frequency.
- LEV and on-tool extraction systems are subject to a detailed and systematic examination (TextT) at least every 14 months.
- Records are kept of all checks, inspections, tests, maintenance (planned and reactive) and thorough examinations.

4.16 Lifting Operations and Lifting Equipment

The School recognises the need to ensure that all lifting equipment and lifting operations shall be safe at all times. This will be achieved by ensuring:

- Suitable equipment is hired in, together with operators and banksmen, where necessary;
- All lifting operations and lifting equipment conform to the Lifting Operations and Lifting Equipment Regulations 1998;
- All those employees involved in lifting operations are suitably competent to perform the work and operate the equipment;
- All lifting equipment used for the movement of persons is inspected and tested by a competent person every 6 months and that the results are recorded as necessary;
- All lifting equipment not used for the movement of persons is inspected and tested by a competent person every 12 months and that the results are recorded as necessary;
- All lifting accessories are inspected and tested by a competent person every 6 months and that the results are recorded as necessary;
- All lifting gear is fit for purpose and capable of safely carrying out the work it is employed to do;
- All wire ropes, strops and chains are fitted to crane hooks correctly;
- Risk assessments are carried out prior to any lift to identify the measures required to protect those involved with the lift;
- Effective communication to all personnel involved with the lift the established Safe System of Work which includes:
 - Thorough planning of the operation, along with the selection, provision and use of suitable lifting devices and equipment;
 - A suitable and sufficient Lifting Plan;
 - The maintenance, testing and examination of all equipment;
 - Supervision by a trained and competent person/banksman with the necessary authority to progress or stop a job as is necessary;
 - The prevention of unauthorised use or movement of equipment by any unauthorised person; and
 - The safety of all personnel involved in the lift as well as those not involved in the lift but who may be affected by the lifting operation.
- All lifting gear and equipment is marked with a means of identification to show its safe working load.
- All lifting equipment is subject to thorough ongoing examination, and where appropriate,

inspection by competent persons.

- Lifting Plans are communicated to all employees and others involved in or affected by the lift.

4.17.1 Passenger Lifts

The School recognises the need to ensure that lifts are used safely and maintained in a safe working order at all times. This will be achieved by adherence to the following:

- New lifts are manufactured and installed according to the Lifts Regulations 1997 and have a current declaration of conformity.
- Only suitably competent persons, accredited by the United Kingdom Accreditation Service to BS EN 45004, are selected to inspect, examine, test and maintain lifts.
- Different contractors are used to perform routine maintenance and to conduct inspections/examinations of lifts.
- All lifts are thoroughly examined by a competent person at statutory intervals (every 6 months for those carrying people), or in accordance with an examination scheme drawn up by a competent person, as required by the Lifting Operations and Lifting Equipment Regulations 1998. Records of examination reports are kept available for review / inspection for at least two years
- A thorough examination is also performed following substantial and/or significant changes to a lift, a long period of inactivity or following damage to, or failure of, the lift.
- Any reported defects/problems with lifts are promptly addressed – where necessary, lifts are taken out of service whilst awaiting remedial maintenance.
- All lifts are fitted with emergency stop / alarm devices that are easily identifiable and accessible
- The maximum number of passengers and safe working load is clearly signed in all lifts
- Employees do not exceed the maximum number of passengers or safe working load in lifts.

4.17 Manual Handling Operations

The School recognises the need to ensure that all manual handling operations shall be as safe as reasonably practicable at all times, in accordance with the Manual Handling Operations Regulations 1992 (as amended). This will be achieved by:

- Wherever possible, the requirement to conduct manual handling operations will be avoided. Where manual-handling operations cannot be avoided then suitable mechanical aids will be utilised, or the load split to reduce the risk of harm, or group- handling techniques will be used.
- An assessment of manual handling operations will be conducted to identify control measures required to protect those at risk from the manual handling operation.
- The results of the manual handling operations risk assessment will be communicated to all employees.
- Employees will be adequately trained in correct manual handling techniques.
- Where vehicles are used to eliminate or reduce manual handling operations, loads shall be checked as secure by the driver prior to moving the vehicle.

4.18 Noise

- The School aims to protect staff and pupils hearing from excessive noise whilst at work/school, in accordance with the Control of Noise at Work Regulations 2005.
- The School will seek to ensure, so far as is reasonably practicable, that all equipment used, hired or purchased will only generate noise levels below those recommended by applicable approved codes of practice and official guidance notes.
- Where noise levels are likely to exceed the Lower Exposure Action Value perceived at the operator's ear an assessment will be conducted and control measures identified and implemented to reduce or control personal exposure.
- Suitable ear defenders providing adequate attenuation will be provided where appropriate to all

affected persons, at no cost to them, together with appropriate instructions on their use.

- Where noise levels are likely to exceed the Upper Exposure Action Value perceived at the operator's ear the wearing of hearing protection will be enforced and hearing protection zones identified.
- In no situation will the exposure limit value (ELV) be exceeded.

4.19 Plant, Work Equipment and Machinery

- Where appropriate, a specific risk assessment will be conducted for items of hazardous plant, machinery and work equipment by reference to the Approved Code of Practice L22 Safe Use of Work Equipment and PD 5304:2014 Guidance on Safe Use of Machinery.
- All dangerous parts of machinery will be adequately guarded at all times when in use. All safety devices (e.g. emergency stops and isolation switches) will be operable.
- All machinery and work equipment used in Schools will be fitted with appropriate guards, emergency stops and isolation switches in accordance with BS 4163:2014 Health and safety for design and technology in educational and similar establishments - Code of Practice.
- Staff will only use plant, machinery and work equipment that is suitable for the job and will ensure that it is maintained in an effective condition, in good working order and repair, in accordance with the Provision and Use of Work Equipment Regulations 1998.
- Sufficient clear and unobstructed working space will be provided around plant, machinery and work equipment to allow persons to work without the risk of injury.
- Adequate lighting and ventilation will be provided to allow persons to operate plant, machinery and work equipment safely.
- Appropriate PPE will be provided and worn when operating plant, machinery and work equipment, in accordance with manufacturers' recommendations.
- Plant, machinery and work equipment will be regularly inspected and tested (including functionality of guards and emergency stops) as required by current legislation and defects or loss reported immediately. Records of inspection and maintenance will be held by the Head of Operations and Department Heads.
- Defective equipment will be taken out of service immediately to a place where it cannot be brought back into use until it has been repaired by a competent person.
- Only authorised and competent persons will undertake maintenance, repairs, testing, installation or alterations of any nature to any plant or equipment.
- Where the use of the equipment involves a specific risk to health and safety, the use of the equipment will be restricted to personnel who are trained, competent and authorised in its use.
- Staff and pupils receive adequate training and instruction in the use and safe operation of all plant, machinery and work equipment that they are required to operate.
- Plant, machinery and work equipment must not be used when unprotected members of the public are present.

4.20.1 Hired Plant / Equipment

- Where required, plant, machinery and work equipment will be hired as and when necessary, from a reputable company.
- All reasonable precautions shall be taken to ensure that hired plant, machinery and work equipment is safe to use.
- When plant, machinery and work equipment is hired in for use by the SchoolIPS, suitable instruction, training and demonstration of its safe use is to be provided by the Hire Company before it is operated by staff.
- If staff are not deemed competent to operate the hired plant or equipment, a competent operator will be obtained to operate that equipment.

4.20.2 Workshop Machinery

- Machinery within Workshops will only be operated by trained and qualified personnel authorised by management.
- Personnel under the age of 18 will not be permitted to operate woodworking or other hazardous machinery unless they have completed approved training and are under the supervision of a competent person.
- Guards on machinery will be in place at all times and correctly adjusted prior to use.
- Defective machinery shall be immediately reported to management, and taken out of service.
- Hearing protection provided will be worn at all times by all personnel when operating noisy machinery within Workshops.
- Sufficient clear and unobstructed working space will be provided around the machines to allow persons to work without the risk of injury.
- Adequate lighting and ventilation will be provided to allow personnel to operate machinery safely.
- Local Exhaust Ventilation and dust extraction equipment must be checked running prior to the use of equipment.

4.20.3 Hand/Small Tools

- All hand/small tools are of a suitable quality and are used only for their intended purpose and in the correct manner.
- All hand/small tools are kept clean, well maintained and are stored in a safe manner and condition so as not to cause an obstruction or danger to others when not in use. Tools must not be left unattended around the school site, especially in areas accessible to students.
- Employees are adequately trained in the use of hand/small tools.

4.21 Pressure/Steam Cleaners

- Pressure cleaners will be maintained, tested and repaired by a competent person, and records of maintenance and tests kept.
- Equipment is to be operated by trained, authorised and competent personnel and eye protection is to be worn at all times by operators to protect from flying debris.

4.22 Slips, Trips and Falls

- Trailing leads and hoses are laid to minimise the risk of trips. Cable protection is fitted when possible to reduce the risk of tripping.
- Floor coverings will be sound and in good state of repair. All spillages will be cleared away immediately.
- All corridors, accesses, egresses and stairwells will be adequately lit and kept clear of obstacles and rubbish.
- Offices, classrooms and working areas will be kept tidy at all times and all rubbish will be removed at the end of each day.

4.23 Storage Shelving, Materials Storage and Handling

- All shelving designed for the storage of materials will be fit for purpose and capable of supporting the required loads.
- Staff will be aware of the safe methods of stacking materials on shelving and removing materials from shelving.
- Materials will be stored and stacked to reduce the risk of manual handling injuries.

4.24 Underground / Overhead Utilities

All work involving potential contact with overhead or underground electrical cables or other utilities/ services will be properly planned and will be subject to a detailed risk assessment in order to identify and implement appropriate control measures to ensure the safety of all personnel associated with the work.

4.25 Vibration

In accordance with the Control of Vibration at Work Regulations 2005 management will:

- Conduct assessments to determine the risks from vibration to employees;
- Decide if employees are likely to be exposed above the daily exposure action value (EAV) and if they are:
 - Introduce a programme of controls to eliminate risk, or reduce exposure to as low a level as is reasonably practicable; and
 - Provide health surveillance (regular health checks) to those employees who continue to be regularly exposed above the action value or otherwise continue to be at risk.
- Decide if employees are likely to be exposed above the daily exposure limit value (ELV) and if they are:
 - Take immediate action to reduce their exposure below the limit value.
- Vibration levels shall be a consideration when purchasing or hiring equipment.

4.26 Weather Conditions

Consideration of the anticipated weather conditions will be given to ensure that suitable precautions are taken to safeguard those undertaking or those who may be affected by the work so that employees are aware of the

- increased risk of slips, trips and falls in wet, muddy, and icy conditions and the need to wear appropriate footwear.
- effects of working in cold conditions and the precautionary measures to take to avoid hypothermia or cold stress.
- effects of strong sunlight and the precautionary measures to take to avoid sunburn or heat exposure.

Industry guidance will be consulted when deciding the maximum wind speeds for working at height.

The decision to continue or suspend work at height will be based on wind speed, control measures already in place to prevent the fall of personnel or materials, position and height of the work activity and the size of materials being handled.

4.27 Working at Height / Working on Fragile Surfaces

4.27.1 General

- The School shall:
 - Avoid work at height where it can;
 - Use work equipment or other measures to prevent falls where it cannot avoid working at height;
 - Where it cannot eliminate the risk of a fall, use work equipment or other measures to minimise the distances and consequences of a fall should one occur.
- The School will ensure:
 - All work is properly planned and organised;
 - All work at height takes account of weather conditions that could endanger health and safety;
 - Those involved in work at height are trained and competent;

- The place where work at height is done is safe;
- Equipment for work at height is appropriately inspected;
- The risks from fragile surfaces are properly controlled;
- The risks from falling objects are properly controlled.
- It is prohibited to drop or throw anything from a height unless sufficient and adequate controls have been identified via risk assessment and implemented. Lowering materials must be conducted in a controlled manner, using ropes or via chutes into skips.
- A rescue plan is in place for working at height which is incorporated into emergency procedures.

4.27.2 Risk Assessment

- Before carrying out any work at height, including the use of ladders, a risk assessment of the work to be undertaken will be conducted. The risk assessment will take into account weather conditions and other aspects of the environment to ensure the safety of personnel at height and identify the measures required to protect persons working at height.
- All equipment identified by the risk assessment and provided for working at height will be sound and fit for purpose and will be the subject of regular inspection and testing to ensure its continued suitability for the job.

4.27.3 Scaffolding and Towers

- All scaffolds and towers shall be erected by fully trained, competent contractors (i.e. PASMA certified) in accordance with current legislation, British Standards, approved Codes of Practice and Industry standards.
- Scaffolds will be erected by appropriately trained, competent employees in accordance with industry standards and design specifications.
- All scaffolds will be inspected by a trained and competent person, and records of such inspections kept:
 - Prior to use;
 - After any substantial addition or dismantling;
 - After alteration;
 - After any event likely to affect its strength or stability; and
 - Weekly.
- Where practicable, hand-over certificates will be issued and a joint inspection carried out.
- Staff shall not use any scaffold unless it has been erected and inspected as above.
- During erection, unauthorised access to scaffolds will be prevented by the use of appropriate barriers and signage.
- Where portable tower scaffolding is used, the person responsible for erecting, dismantling and using the equipment will be trained (PASMA) and competent.

4.27.4 PPE and Safety Harnesses

- All employees will wear suitable PPE for working at height as identified through assessment. Appropriate training will be given in its use and maintenance.
- Where practicable, safety harnesses/man anchor systems shall be worn whilst working at height or on fragile surfaces, attached to suitable anchor points.
- All safety harnesses/man anchor systems and anchor points shall be inspected, certified and checked 'in date' for test prior to use.

4.27.5 Ladders and Stepladders

- All persons using ladders and stepladders will be fully trained and aware of the hazards and risks
- Ladders, including stepladders, used by staff will be of the correct type (Class 1 or EN 131) and in good condition. Measures must be taken to ensure that ladders and stepladders are secure, on a solid footing and, in the case of access ladders, are effectively secured to prevent movement.
- Ladders will be the subject of regular inspection by a competent person and defective ladders will be taken out of service immediately and reported to line management.

4.27.6 MEWPS

- Mobile Elevated Work Platforms and Scissor Lifts shall only be operated by trained, competent operators.
- Safety Harnesses will be worn at all times whilst work is being conducted from MEWPs.
- A rescue plan is in place for falls from MEWPS which is incorporated into emergency procedures.

4.27.7 Fragile Surfaces

- All fragile surfaces display suitable and legible warning notices.
- Fragile surfaces are provided with adequate means of support / protection (platforms, coverings, guard rails) for anticipated loads. Suitable and sufficient warning notices are prominently displayed on approaches to fragile surfaces.
- When working at height or on fragile surfaces, all employees will wear PPE identified through risk assessment. Appropriate training will be given in its use and maintenance.

4.27.8 Roof Access

- All work on roofs is conducted in accordance with HSE Guidance INDG284 Working on Roofs.

4.28 On Site Departments

4.28.1 Art, Craft, Design & Technology

- Guidance provided in the DfES Building Bulletin 81 Design and Technology Accommodation in Secondary Schools – A Design Guide will be adhered to at all times.

4.28.2 Music & Drama

- The Head of Performing Arts is responsible for the management of Meade King Hall (including all associated equipment, scenery, lighting and props) and productions (including rehearsals). The Estates Manager is responsible for the maintenance of all electrical equipment (including electrical equipment used for music purposes) and the fixed electrical installation.

4.28.3 Physical Education & Sporting Activities

- Refer to the **Sports Policy** and the **Sports Matches and Training Offsite Policy**.
- Guidance provided in the Safe Practice in Physical Education, School Sport & Physical Activity 2016 will be adhered to at all times.
- The Director of Sport in the Senior School and the Head of PE & Games in the Preparatory School are responsible for the management of all sporting activities and equipment. The Estates Manager is responsible for the maintenance of all sporting facilities and grounds.

4.28.4 Swimming Pool

- Refer to the **Swimming Pool Normal Operating Plan (NOP)**, the **Swimming Pool Emergency Action Plan (EAP)**, and the **Chaperone Protocols for Residential Swimming Competitions & Swimmers' Lifestyles**.

- The Sports Centre Manager (LEANDER as applicable) is responsible for the operation and safety of the swimming pool and for the chemical treatment of pool water and cleanliness of the pool, changing rooms and its surrounds.

4.28.5 Science Laboratories

- Relevant guidance provided by CLEAPSS will be referenced and adhered to.
- Heads of Department in conjunction with subject teachers and technicians are responsible for the management of science laboratories and the activities undertaken within these.

4.28.6 Cadet Force

- Refer to the **Cadet Force – Security Standing Orders**.
- The Unit Security Officer in conjunction with the Assistant Unit Security Officer is responsible for the management and security of arms, the CCF building (including the range, armoury and remote stores) and service documents.

4.29 Off Site Departments

4.29.1 Outdoor Education, Visits & Offsite Activities

- Refer to the **Outdoor Education, Visits and Offsite Activities Policy**.
- Deputy Heads are responsible for the management of all outdoor education events, visits and offsite activities for their respective Schools.

4.29.2 Whiteworks

- The person in charge of the group is responsible for the group's safety whilst at the Centre.